

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/326789732>

# Product-Form Solution for Cascade Networks With Intermittent Energy

Article in *IEEE Systems Journal* · August 2018

DOI: 10.1109/JSYST.2018.2854838

CITATIONS

20

READS

85

2 authors:



**Yasin Murat Kadioglu**  
Imperial College London

16 PUBLICATIONS 106 CITATIONS

[SEE PROFILE](#)



**Erol Gelenbe**  
Polish Academy of Sciences

758 PUBLICATIONS 17,871 CITATIONS

[SEE PROFILE](#)

Some of the authors of this publication are also working on these related projects:



GHOST - Safe-Guarding Home IoT Environments with Personalised Real-time Risk Control [View project](#)



Deep Learning with Random Neural Networks [View project](#)

# Product-Form Solution for Cascade Networks With Intermittent Energy

Yasin Murat Kadioglu, *Member, IEEE*, and Erol Gelenbe , *Fellow, IEEE*

**Abstract**—The power needs of digital devices, their installation in locations where it is difficult to connect them to the power grid and the difficulty of frequently replacing batteries, create the need to operate digital systems with harvested energy. In such cases, local storage batteries must overcome the intermittent nature of the energy supply. System performance then depends on the intermittent energy supply, possible energy leakage, and system workload. Queueing networks with product-form solution (PFS) are standard tools for analyzing the performance of interconnected systems, and predicting relevant performance metrics including job queue lengths, throughput, and system turnaround times and delays. However, existing queueing network models assume unlimited energy availability, whereas intermittently harvested energy can affect system performance due to insufficient energy supply. Thus, this paper develops a new PFS for the joint probability distribution of energy availability, and job queue length for an  $N$ -node tandem system. Such models can represent production lines in manufacturing systems, supply chains, cascaded repeaters for optical links, or a data link with multiple input data ports that feeds into a switch or server. Our result enables the rigorous computation of the relevant performance metrics of such systems operating with intermittent energy.

**Index Terms**—Energy packet (EP) network, energy harvesting, multihop networks, product-form solution (PFS), simultaneous state transitions.

## I. INTRODUCTION

THE growing energy needs of devices in the wired backbone of mobile networks, the Internet, and the Internet of Things [1]–[4], the need to power them even when they are not plugged into permanent sources of electricity [5], and the inconvenience of changing batteries have motivated the research regarding systems that are powered with harvested energy sources [6], [7].

Because harvested energy will generally be intermittent, the quality of service of systems that operate with harvested energy will critically depend on the interaction between the amount of energy that is harvested and stored in each device and the workload or traffic that the device processes or forwards [8], [9].

Since the midsixties, thanks to Jackson’s Theorem [10] and its generalizations [11], efficient analytical techniques are available to analyze the behavior of multiple interconnected

units, if each unit operates with unlimited energy. However, a new and major challenge is to model systems with intermittent sources of energy, since energy flow is also random and not always available. When energy is not available at a unit, its processing of jobs or forwarding of data packets (DPs) will be interrupted. Just as DPs and jobs are represented as discrete entities, it is then convenient to model the flow of energy in terms of discrete energy packets (EPs), and a battery can be viewed as a “buffer or queue” of EPs.

For such systems, mathematical performance models are needed to combine the effect of both the arrival of energy (EPs) and the flow of DPs when the service units are network nodes, or jobs when the service units are computer servers.

Progress in such analytical models has always happened in steps, and the general results in [10] were preceded by an earlier solution technique that only considered tandem queueing systems [12]. Of course, these earlier models did not consider the issue of intermittent energy sources.

Tandem systems are of great interest in several areas. In industrial engineering, they are used to model production lines [13], where each unit represents a workstation in a manufacturing system, or a supply chain [14]. They can also be used to model electronic repeaters in optical transmission lines [15] or customer premises links that service many input ports and feed data to a server or switch.

Thus, in this paper, we present the first exact closed-form product-form analytical solution for the joint probability distribution of job queue length and energy supply for a tandem system composed of any number  $N \geq 1$  units.

In this paper, each node or unit is assumed to be powered by a separate source of intermittent energy, and each intermediate unit forwards, to its successor, the jobs or DPs that it has processed. All units also receive jobs or DPs from the outside world, and the  $N$ th unit will send the jobs or DPs it processes out to the outside world. In the sequel, to avoid using different terminologies, a unit will be called a node, and rather than say “DP or job” we shall simply refer to DPs. However, our model applies just as well to computer jobs, or to jobs in a manufacturing system, or to items that area being forwarded in a supply chain, and that are processed with the help of intermittent energy in each of the successive nodes.

## II. PRIOR WORK

The traditional method for analyzing interconnected service systems with  $N$  nodes or units, such as computer networks or distributed computer systems, when energy availability is un-

Manuscript received September 3, 2017; revised March 16, 2018; accepted May 13, 2018. This work was supported in part by the U.K. EPSRC Energy harvesting communication networks: Optimization and demonstration under Grant EP/K017330/1 and in part by the UK Global Challenges Research Fund Project Research in Energy Aware Communications with Harvesting. (Corresponding author: Erol Gelenbe.)

The authors are with the Intelligent Systems and Networks Group, Department of Electrical and Electronic Engineering, Imperial College, London SW7 2BT, U.K. (e-mail: y.kadioglu14@imperial.ac.uk; e.gelenbe@imperial.ac.uk).

Digital Object Identifier 10.1109/JSYST.2018.2854838




Fig. 1. Cascade network with several nodes that store and forward data packets (DPs). Each node operates with energy packets (EP) that arrive to it intermittently through energy harvesting. The first node in the cascade receives DPs from the outside world, whereas the last node forwards them out of the network, and intermediate nodes forward DPs to subsequent nodes.

limited at the nodes, when they are all connected to a permanent source of electricity, is as a queueing network with Poisson external arrivals of packets to each node  $i$  of rate  $\lambda_i$ , and exponential service times with parameter  $\mu_i$ , in which the movement of DPs is represented by a Markov chain with transition probabilities  $P_{ij}$ ,  $i, j = 1, \dots, N$ , where  $P_{ij}$  is the probability that a packet that leaves node  $i$  then enters node  $j$ . Such a network is also characterized by the probability  $d_i = 1 - \sum_j P_{ij}$  that a packet departs from the network after being served at node  $i$ . In this model, packets entering a node are queued to wait for service and are served in first-in first-out order. This is known as “Jackson’s network” and is widely used as a simple and effective model for multihop backbone networks [10], [16], [17]. The product-form solution (PFS) of Jackson’s network states that the joint probability distribution of the  $N$  queue lengths of packets at the nodes in steady state is rigorously expressed as the product (multiplication) of the probability distributions of each individual queue length. Also, the probability distribution of the queue length at node  $i$  depends only on the queue’s total packet arrival rate  $\Lambda_i^+$ , and its service rate  $\mu_i$ . The widespread usage of this model and its generalizations to BCMP networks [11], [18] and G-networks [19], is due to the rigorous “PFS.”

Models where work is conducted in parallel subsystems and then is synchronized [20]–[22], and Petri nets with synchronization constraints [23] have also been considered. In [24], a PFS is proved for the flow of work and of control signals in a system of interconnected service units, and it was extended to Petri nets in [25]. Such techniques have also been used to model gene regulatory networks [26] and cloud computing systems [27].

Dynamic control policies for traffic flow in a network with energy harvesting nodes have been considered by several authors. In [28], a mobile base station with a single rechargeable battery is considered and dynamic policies are studied to share power from the same battery in discrete successive time slots to distinct channels having different traffic rates. Here the power allocation will affect the actual transmitted data rate, and the overall performance metric to be optimized is a function of these effective data rates. In other work [29] that supposes that the topology of a multihop wireless network is fully known and that it does not vary over time, assuming also that the traffic flows are not affected by interference or noise, a control theoretic approach is developed for managing the flow of packets. This paper also assumes that the amount of energy and DPs in all nodes is known, arrival processes of data and energy are time independent (stationary), and the information about the backlog of data in a node can be shared with nodes upstream by creating back pressure. In [30], discrete time control models are introduced to

TABLE I  
PARAMETERS USED FOR NUMERICAL EXAMPLES

Parameter	Description
$\lambda_1$	External DP arrival rate at Node 1
$v_i$	Total DP arrival rate at Node $i$
$\Lambda_i$	EP arrival rate at Node $i$
$\mu_i$	EP loss rate at Node $i$
$\gamma_i$	DP loss rate at Node $i$
$\langle n \rangle$	Total average number of DPs
$N$	Number of nodes in the cascade network

maximize the amount of data sensed and forwarded by a sensor network, when the energy it uses is harvested and dynamically allocated for forwarding the data, and assuming that the data forwarding rate depends on the allocated power.


The link between system workload and energy was recently analyzed in [31], where the availability of harvested and stored energy is represented, *together with* the queue length of DPs, in a single node ( $N = 1$ ) system. In this approach, energy is discretized in EPs, so that the amount of energy stored in the node’s battery is represented as a discrete number of EPs. Thus, in the “energy packet network” (EPN) abstraction, a battery is a “buffer queue” for energy, and a network node is represented by two coupled queues, one for DPs and the other for EPs. This approach was generalized to systems with finite DP and EP storage [32], whereas a two hop ( $N = 2$ ) feedforward network was studied in [33]. Another approach uses the theory of G-Networks to model the flow of energy as the enabler of service being rendered at a cloud server [27].

The throughput and power consumption in EPs/s for a single node with transmission errors due to noise and interference, derived when multiple EPs are needed to transmit a single DP, have been considered in [34]. Other work [32] addresses a single node that consumes energy both for data transmission and for processing jobs.

### III. CASCADED $N$ -HOP NETWORK

The cascaded  $N$ -hop model considered in this paper is shown in Fig. 1. We assume the data and energy buffers at each node are of unlimited storage capacity, and that one DP (or job) is forwarded using one EP. At node 1, the arrival rate of DPs from outside sources is denoted as  $\lambda_1$ , whereas the remaining nodes are just transit nodes and they do not receive external arrivals of DPs. On the other hand, all nodes  $i$  receive EPs at rate  $\Lambda_i$ . We also allow EP leakage at node  $i$ , and DP loss due to impatience or errors at rate  $\gamma_i$ . Symbols used are listed in Table I.

The leakage rate at node  $i$  is  $\mu_i$  when there are more than one EPs at node  $i$ , and is  $\mu_i^0$  when there is just one EP at

Fig. 2. State transition diagram of some node  $i$ .

node  $i$ . With current electronic technology, the DP transmission time will be in the nanoseconds, whereas the constitution of a full DP through sensing of external events, the harvesting of a significant amount of energy, the leakage of an EP, and the loss of a DP due to impatience or errors will take much longer than a nanosecond. Thus, we can assume that the DP forwarding times are negligibly smaller compared to these times durations.

The state of node  $i \in \{1, \dots, N\}$  at time  $t$  can be represented by the pair  $(x_i^t, y_i^t)$  where the first variable represents the backlog of DPs at the node and the second variable is the amount of energy (in EPs) available at the same node. As with the single-node model, we must have  $x_i^t \cdot y_i^t = 0$  since if both an EP and a DP are at a node, the transmission occurs until either all DPs or all EPs are depleted at node  $i$ . Thus, the state of a node may be represented by a single variable  $n_i^t = x_i^t - y_i^t$  if the following conditions hold:

- 1) When  $n_i^t > 0$ , then node  $i$  has  $n_i^t = x_i^t$  DPs waiting to be forwarded, but it does not have the EPs at that node to start the transmission from that node;
- 2) When  $n_i^t < 0$ , then node  $i$  has a reserve of  $-y_i^t$  EPs, but does not have any DP to transmit;
- 3) When  $n_i^t = 0$ , then node  $i$  does not have any DP and EP in their respective buffers.

The cascaded network is then represented by the vector of positive, negative, or zero integers:  $\bar{n}^t = (n_1^t, \dots, n_N^t)$ ,  $t \geq 0$ , and  $\bar{n}$  denotes a particular value of the vector, so that we study the probability  $p(\bar{n}, t) = \text{Prob}[\bar{n}^t = \bar{n}]$ . Fig. 2 shows the state transition diagram of node  $i$ .

Let  $\bar{e}_i \triangleq (0, 0, \dots, 1, \dots, 0)$  be a vector whose  $i$ th element is 1 and other  $N-1$  elements are 0. The equilibrium equations for the steady-state probability distribution  $\pi(\bar{n})$  for this system are as follows:

$$\pi(\bar{n})\lambda_1 + \pi(\bar{n}) \sum_{i=1}^N [\Lambda_i + \gamma_i 1_{n_i > 1} + \gamma_i^0 1_{n_i = 1} + \mu_i 1_{n_i < -1} + \mu_i^0 1_{n_i = -1}] \quad (1)$$

$$= \sum_{i=1}^N \pi(\bar{n} + e_i) [\gamma_i 1_{n_i > 0} + \gamma_i^0 1_{n_i = 0} + \Lambda_i 1_{n_i < 0}] \quad (2)$$

$$+ \sum_{i=1}^N \pi(\bar{n} - e_i) [\mu_i 1_{n_i < 0} + \mu_i^0 1_{n_i = 0}] + \pi(\bar{n} - e_1) \lambda_1 1_{n_1 > 0} \quad (3)$$

$$+ \sum_{i=2}^N \lambda_1 \pi(\bar{n} - e_1 - \dots - e_{i-1} - e_i) \prod_{j=1}^{i-1} 1_{n_j \leq 0} 1_{n_i > 0} \quad (4)$$

$$+ \lambda_1 \pi(\bar{n} - e_1 - \dots - e_N) \prod_{j=1}^N 1_{n_j \leq 0} \quad (5)$$

$$+ \Lambda_N \pi(\bar{n} + e_N) 1_{n_N \geq 0} \quad (5)$$

$$+ \sum_{i=1}^{N-1} \Lambda_i \pi \left( \bar{n} + e_i - \sum_{k=1}^{N-i} e_{i+k} \right) 1_{n_i \geq 0} \prod_{k=1}^{N-i} 1_{n_{i+k} \leq 0} \quad (6)$$

$$+ \sum_{i=1}^{N-1} \sum_{l=1}^{N-i} \Lambda_i \pi \left( \bar{n} + e_i - \sum_{k=1}^{l-1} e_{i+k} - e_{i+l} \right) \times 1_{n_i \geq 0} \prod_{k=1}^{l-1} 1_{n_{i+k} \leq 0} 1_{n_{i+l} > 0}. \quad (7)$$

In these equations, the following statements hold.

- 1) Line (1) corresponds to the case where there are no arrivals or departures of DPs and EPs and the first two terms in (2) correspond to the removal of DPs due to impatience, and the third term relates to the arrival of a DP to any node  $i$  where no DPs are being stored.
- 2) The first two terms in (3) correspond to the leakage of EPs, whereas the third term is due to the arrival of a DP to node 1 (the only node where DPs can arrive) when node 1 does not have any EPs.
- 3) The term in (4) corresponds to the arrival of a DP to node 1 when nodes 1 to  $i-1$  contain EPs, whereas node  $i$  does not contain any EPs, so that the DP progresses directly to node  $i$  where it stops to join the DP queue.
- 4) In (5), the first term corresponds to the case where an arriving DP proceeds directly to the exit from node  $N$  because all nodes contain at least one EP. The second term in (5) describes the arrival of an EP to node  $N$  which contains at least one DP, which then leaves the network.
- 5) In (6), an EP arrives to node  $i$  containing at least one DP, which then moves all the way to the output of the network because all nodes after node  $i$  contain at least one EP.
- 6) Finally (8), it describes the arrival of an EP to node  $i$  when it contains at least one DP; then the DP is able to move through nodes  $i+1$  to  $i+l-1$  that all contain EPs, but it joins the DP queue at node  $i+l$  that has no EP.

The equilibrium equations may be rewritten in more compact form as

$$\pi(\bar{n}) \left[ \lambda_1 + \sum_{i=1}^N (\Lambda_i + \gamma_i 1_{n_i > 1} + \gamma_i^0 1_{n_i = 1} + \mu_i 1_{n_i < -1} + \mu_i^0 1_{n_i = -1}) \right] \quad (8)$$

$$= \sum_{i=1}^N [\pi(\bar{n} + e_i) (\gamma_i 1_{n_i > 0} + \gamma_i^0 1_{n_i = 0} + \Lambda_i 1_{n_i < 0} 1_{i \neq N} + \Lambda_N 1_{i = N})] \quad (9)$$

$$+ \sum_{i=1}^N [\pi(\bar{n} - e_i)(\mu_i 1_{n_i < 0} + \mu_i^0 1_{n_i = 0} + \lambda_1 1_{n_i > 0} 1_{i=1})] \quad (10)$$

$$+ \sum_{j=1}^{N-1} \left[ \pi \left( \bar{n} - \sum_{i=1}^{j+1} e_i \right) \lambda_1 \prod_{i=1}^j 1_{n_i \leq 0} \times (1_{n_{1+j} = N} + 1_{n_{1+j} \geq 1} 1_{n_{1+j} \neq N}) \right] \quad (11)$$

$$+ \sum_{j=1}^{N-1} \sum_{i=1}^j \left[ \pi \left( \bar{n} + e_i - \sum_{k=1}^{N-j} e_{i+k} \right) \Lambda_i 1_{n_i \geq 0} \times \left( 1_{N-j \leq 1} + 1_{N-j \geq 2} \prod_{k=1}^{N-j-1} 1_{n_{i+k} \leq 0} \right) \times (1_{i=j} + 1_{n_{N+i-j} \geq 1} 1_{i \neq j}) \right]. \quad (12)$$

#### A. Equilibrium Condition for Energy and Data Flows (EDF)

We can imagine that if the amount of energy that the system harvests is not sufficient to allow the transmission of the incoming flow of DPs, then the backlog of DPs will become infinite. Similarly, if the flow of DPs is not large enough to use the incoming flow of energy, then the backlog of EPs will grow indefinitely. Of course, we also need to include the effect of timeouts for the DPs, and the leakage of the EPs. Let

$$v_1 = \lambda_1, \quad v_{i+1} = \lambda_1 \prod_{l=1}^i \frac{\Lambda_l}{\Lambda_l + \gamma_l} \quad (13)$$

where  $v_i$  can be interpreted (see Theorem 2) as the arrival rate of DPs to Node  $i$ . The EDF condition is then defined as

$$v_i - \gamma_i = \Lambda_i - \mu_i \quad (14)$$

where (14) says that the net inflow of DPs, after removal of those that timeout, should be the same as the total inflow of EPs minus the loss of EPs due to leakage.

*Theorem 1:* Assume that the EDF condition is satisfied. Then the steady-state probability distribution for the system  $\pi(\bar{n}) = \lim_{t \rightarrow \infty} p(\bar{n}, t)$  is given by

$$\pi(\bar{n}) = \prod_{i=1}^N \pi_i(n_i)$$

where

$$\pi_i(n_i) = \begin{cases} C_i, & \text{if } n_i = 0 \\ C_i \cdot \frac{v_i}{\Lambda_i + \gamma_i^0} \left( \frac{v_i}{\Lambda_i + \gamma_i} \right)^{n_i - 1}, & \text{if } n_i \geq 1 \\ C_i \cdot \frac{\Lambda_i}{v_i + \mu_i^0} \left( \frac{\Lambda_i}{v_i + \mu_i} \right)^{-n_i - 1}, & \text{if } n_i \leq -1 \end{cases}$$

where  $\mu_i^0 = v_i + 2\mu_i$ ,  $\gamma_i^0 = \Lambda_i + 2\gamma_i$  and the normalizing constants  $C_i$  are

$$C_i = \left( 1 + \frac{\frac{v_i}{\Lambda_i + \gamma_i^0}}{1 - \frac{v_i}{\Lambda_i + \gamma_i}} + \frac{\frac{\Lambda_i}{v_i + \mu_i^0}}{1 - \frac{\Lambda_i}{v_i + \mu_i}} \right)^{-1}. \quad (15)$$

Using the EDF condition, we have

$$C_i = \frac{2\gamma_i \cdot \mu_i}{2\gamma_i \cdot \mu_i + \Lambda_i \cdot \mu_i + v_i \cdot \gamma_i} \quad (16)$$

$$= \frac{2\gamma_i \cdot \mu_i}{(\gamma_i + \mu_i)(v_i + \mu_i)} = \frac{2\gamma_i \cdot \mu_i}{(\gamma_i + \mu_i)(\Lambda_i + \gamma_i)}. \quad (17)$$

The proof is given in the Appendix.

#### B. Data Packet Arrival Rates to Nodes

The second result concerns the steady-state arrival rate of DPs to each node.

*Theorem 2:* Denote the steady-state arrival rate of DPs to node  $i$  by  $\alpha_i$ , and obviously  $\alpha_1 = \lambda_1$ . Then,  $\alpha_i = v_i$ ,  $i = 1, \dots, N$ .

*Proof:* Let

$$\nu_i = \sum_{n_i < 0} \pi_i(n_i) = C_i \frac{\Lambda_i}{2\gamma_i} = \frac{\Lambda_i \mu_i}{(\gamma_i + \mu_i)(v_i + \mu_i)} \quad (18)$$

$$\rho_i = \sum_{n_i > 0} \pi_i(n_i) = C_i \frac{v_i}{2\mu_i} = \frac{\gamma_i v_i}{(\gamma_i + \mu_i)(\Lambda_i + \gamma_i)}. \quad (19)$$

Then for  $i > 1$

$$\begin{aligned} \alpha_i &= \lambda_1 \prod_{j=1}^{i-1} \nu_j + \sum_{j=1}^{i-2} \Lambda_j \rho_j \prod_{k=j+1}^{i-1} \nu_k + \Lambda_{i-1} \rho_{i-1} \\ &= v_i \prod_{j=1}^{i-1} \frac{\mu_j}{\gamma_j + \mu_j} + \sum_{j=1}^{i-2} \frac{\gamma_j}{\gamma_j + \mu_j} \nu_j \frac{\Lambda_j}{\Lambda_j + \gamma_j} \\ &\quad \times \prod_{k=j+1}^{i-1} \frac{\Lambda_k}{\Lambda_k + \gamma_k} \frac{\mu_k}{\gamma_k + \mu_k} \\ &\quad + \frac{\gamma_{i-1}}{\gamma_{i-1} + \mu_{i-1}} \nu_{i-1} \frac{\Lambda_{i-1}}{\Lambda_{i-1} + \gamma_{i-1}} \\ &= v_i \prod_{j=1}^{i-1} \frac{\mu_j}{\gamma_j + \mu_j} + v_i \sum_{j=1}^{i-2} \frac{\gamma_j}{\gamma_j + \mu_j} \\ &\quad \prod_{k=j+1}^{i-1} \frac{\mu_k}{\gamma_k + \mu_k} + v_i \frac{\gamma_{i-1}}{\gamma_{i-1} + \mu_{i-1}} \end{aligned}$$

or denoting  $u_i = \frac{\gamma_i}{\gamma_i + \mu_i}$ , we have

$$\frac{\alpha_i}{v_i} = \prod_{j=1}^{i-1} (1 - u_j) + u_{i-1} + \sum_{j=1}^{i-2} u_j \prod_{k=j+1}^{i-1} (1 - u_k). \quad (20)$$

However, we can easily show by induction on the integer  $M \geq 1$  that

$$\prod_{j=1}^M (1 - u_j) = 1 - u_M - \sum_{j=1}^{M-1} u_j \prod_{k=j+1}^M (1 - u_k).$$






Fig. 3. Total average backlog of DPs at  $N$  nodes (y-axis) versus the arrival rate of EPs to each node (x-axis) with  $\Lambda_i = \Lambda$  so that the total power coming into the system is  $N\Lambda$ . The leakage rate of EPs is set to the relatively high value of  $\mu_i = 0.1$ . We vary the total number of cascaded units  $N$ . To normalize the results, we set the arrival rate of DPs to the first node to the value  $\lambda_1 = 1$ . Other parameters are  $\gamma_i = 0.01$  (left) and  $\gamma_i = 0.1$  (right).




Fig. 4. Throughput versus the EP arrival rate at all nodes with the EP arrival rates  $\Lambda_i = \Lambda$ . The number of nodes  $N$  is varied. Other parameters are  $\lambda_1 = 1$ ,  $\gamma_i = 0.01\lambda_1$  (left) and  $\gamma_i = 0.1\lambda_1$  (right).  $N$ ,  $\Lambda$  impact the throughput significantly. As  $N$  increases, the amount of energy per node needed to attain a DP throughput close to 1 is much larger than the DP arrival rate.

Hence, the arrival rate of DPs to node  $i$  is  $\alpha_i = v_i$ , completing the proof. ■

#### IV. TOTAL BACKLOG OF DPs

The total average number of DPs in the cascade network is

$$\langle n \rangle = \sum_{i=1}^N \sum_{n_i > 0} n_i \pi_i(n_i) = \sum_{i=1}^N \frac{C_i}{2} \frac{R_i}{(1 - R_i)^2} \quad (21)$$

$$= \sum_{i=1}^N \frac{C_i}{2} \frac{v_i}{\mu_i} \left[ 1 + \frac{v_i}{\mu_i} \right] = \sum_{i=1}^N \frac{\gamma_i}{\gamma_i + \mu_i} \frac{v_i}{\mu_i} \quad (22)$$

where  $R_i = \frac{v_i}{v_i + \mu_i}$  and the condition  $R_i < 1$  must be satisfied.

Fig. 3 shows the total average backlog of DPs in the  $N$ -node for different energy arrival rates, and different values of  $N$ . In

this example, the external data arrival rate is set to  $\lambda_1 = 1$  for the purpose of normalization, and all the nodes have identical EP arrival rates  $\Lambda_i = \Lambda$ , and leakage rates  $\mu_i = 0.1$ . Identical DP impatience rates have been chosen for all nodes and have been set to  $\gamma_i = 0.01$  for the curves on the left-hand side, and  $\gamma_i = 0.1$  for the curves on the right-hand side. As one would expect, when the EP arrival rate increases, the average DP backlog decreases significantly, since DPs are more rapidly transmitted. On the other hand, higher DP leakage rates will result in lower overall packet backlog since more DPs are dropped by the nodes during the transmissions through the network.

Fig. 4 shows the throughput for different energy arrival rates and different numbers of nodes  $N$  in the cascade network. We assume the same parameter values as in Fig. 3. As the num-

ber of sensor nodes in the cascaded network increases, the throughput reduces significantly due to the conjugated effect of DP loss at each successive node. On the other hand, the increase in EP arrival rates clearly elevates the throughput, since more DPs can be served before their timeouts create losses. Also as expected, higher timeout data loss rate causes less throughput.

## V. CONCLUSION

In this paper, we have introduced a mathematical model of a cascaded multihop network or a service system where each node gathers energy through harvesting. DPs (or jobs) arrive to the first node and are forwarded hop-by-hop to the output node, as long as there is at least one EP present at each node that is visited. If a DP encounters a node that does not have at least one EP, then the DP must wait for the arrival of enough energy through harvesting at that node. We also assume that EPs are lost at each node due to leakage and that DPs may also be lost at nodes due to timeouts or errors.

We assume that DPs arrive to the first node according to a Poisson process and that EPs are harvested at each node according to independent Poisson processes. We also assume, physically, that the time it takes to forward a DP from one node to its immediate neighbor when the node has enough energy is much shorter than the time it takes to constitute an input DP from sensed data, and the time it takes to harvest an EP that is needed to forward a DP.

Our main result is a previously unknown PFS (product-form solution) for this system. We illustrate the use of this analytical solution by computing the average backlog of DPs and their waiting at each node, and we illustrate this through several numerical results. Since product-form analytical solutions are very useful computational tools in network and computer system performance analysis, and are economical in compute time as compared to discrete event simulations, we expect that the results presented in this paper will be extended in future work to more general network topologies. Furthermore, though we have started with Poisson arrivals, we expect that (as with other areas of system performance analysis) these results will lead to further work and that they will be generalized to dependent (rather than independent) interarrival times, and to time-varying arrival rates.

## APPENDIX PROOF OF THEOREM 1

Note that

$$\frac{\pi_i(n_i+1)}{\pi_i(n_i)} \triangleq G_i^+ = \begin{cases} \frac{v_i + \mu_i}{\Lambda_i}, & \text{if } n_i < -1 \\ \frac{v_i + \mu_i^0}{\Lambda_i}, & \text{if } n_i = -1 \\ \frac{v_i}{\Lambda_i + \gamma_i^0}, & \text{if } n_i = 0 \\ \frac{v_i}{\Lambda_i + \gamma_i}, & \text{if } n_i > 0 \end{cases}$$

and also

$$\frac{\pi_i(n_i-1)}{\pi_i(n_i)} \triangleq G_i^- = \begin{cases} \frac{\Lambda_i + \gamma_i}{v_i}, & \text{if } n_i > 1 \\ \frac{\Lambda_i + \gamma_i^0}{v_i}, & \text{if } n_i = 1 \\ \frac{\Lambda_i}{v_i + \mu_i^0}, & \text{if } n_i = 0 \\ \frac{\Lambda_i}{v_i + \mu_i}, & \text{if } n_i < 0 \end{cases}$$

and we note that

$$\prod_{i=1}^M G_i^- 1_{n_i \leq 0} = \frac{v_{M+1}}{v_1} \prod_{i=1}^M f(n_i)$$

$$G_i^+ \Lambda_i 1_{n_i \geq 0} = v_{i+1} h(n_i)$$

where

$$f(n_i) = \frac{1_{n_i=0}}{2} + 1_{n_i < 0}$$

and

$$h(n_i) = \frac{1_{n_i=0}}{2} + 1_{n_i > 0}.$$

Dividing both sides of the equilibrium equation by  $\pi(\bar{n})$ , we obtain

$$\left[ \lambda_1 + \sum_{i=1}^N (\Lambda_i + \gamma_i 1_{n_i > 1} + \gamma_i^0 1_{n_i = 1} + \mu_i 1_{n_i < -1} + \mu_i^0 1_{n_i = -1}) \right] \quad (23)$$

$$= \sum_{i=1}^N [G_i^+ (\gamma_i 1_{n_i > 0} + \gamma_i^0 1_{n_i = 0} + \Lambda_i 1_{n_i < 0} 1_{i \neq N} + \Lambda_N 1_{i = N})] \quad (24)$$

$$+ \sum_{i=1}^N [G_i^- (\mu_i 1_{n_i < 0} + \mu_i^0 1_{n_i = 0} + \lambda_1 1_{n_i > 0} 1_{i=1})] \quad (25)$$

$$+ \sum_{j=1}^{N-1} \left[ \prod_{i=1}^{j+1} G_i^- \lambda_1 \prod_{i=1}^j 1_{n_i \leq 0} (1_{1+j=N} + 1_{n_{j+1} \geq 1} 1_{1+j \neq N}) \right] \quad (26)$$

$$+ \sum_{j=1}^{N-1} \sum_{i=1}^j \left[ G_i^+ \prod_{k=1}^{N-j} G_{k+i}^- (\Lambda_i 1_{n_i \geq 0} (1_{N-j \leq 1} + 1_{N-j \geq 2} \right.$$

$$\left. \prod_{k=1}^{N-j-1} 1_{n_{i+k} \leq 0}) (1_{i=j} + 1_{n_{N+i-j} \geq 1} 1_{i \neq j}) \right]. \quad (28)$$

Now, rewriting (24), we have

$$= G_N^+ \Lambda_N 1_{n_N \geq 0} + \sum_{i=1}^N \left[ \frac{v_i \gamma_i}{\Lambda_i + \gamma_i} 1_{n_i > 0} + \frac{v_i \gamma_i^0}{\Lambda_i + \gamma_i^0} 1_{n_i = 0} \right. \\ \left. + (v_i + u_i^0) 1_{n_i = -1} + (v_i + u_i) 1_{n_i < -1} \right] \quad (29)$$

and rewriting (25) as

$$G_1^- \lambda_1 1_{n_1 > 0} + \sum_{i=1}^N \left[ \frac{\Lambda_i \mu_i}{v_i + \mu_i} 1_{n_i < 0} + \frac{\Lambda_i \mu_i^0}{v_i + \mu_i^0} 1_{n_i = 0} \right] \quad (30)$$

we sum (29) and (30)

$$= G_1^- \lambda_1 1_{n_1 > 0} + G_N^+ \Lambda_N 1_{n_N \geq 0} \\ + \sum_{i=1}^N \left[ \frac{v_i \gamma_i}{\Lambda_i + \gamma_i} 1_{n_i > 0} + \left( \frac{v_i \gamma_i^0}{\Lambda_i + \gamma_i^0} + \frac{\Lambda_i \mu_i^0}{v_i + \mu_i^0} \right) 1_{n_i = 0} \right. \\ \left. + \left( v_i + u_i^0 + \frac{\Lambda_i \mu_i}{v_i + \mu_i} \right) 1_{n_i = -1} \right. \\ \left. + \left( v_i + u_i + \frac{\Lambda_i \mu_i}{v_i + \mu_i} \right) 1_{n_i < -1} \right] \quad (31)$$

where

$$\frac{v_i \gamma_i^0}{\Lambda_i + \gamma_i^0} + \frac{\Lambda_i \mu_i^0}{v_i + \mu_i^0} = \frac{v_i (\Lambda_i + 2\gamma_i) + \Lambda_i (v_i + 2\mu_i)}{2(\Lambda_i + \gamma_i)} \\ = v_i + \frac{\Lambda_i \mu_i}{\Lambda_i + \gamma_i} \quad (32)$$

and

$$\frac{v_i \gamma_i}{\Lambda_i + \gamma_i} = v_i + \frac{\Lambda_i \mu_i}{\Lambda_i + \gamma_i} + \frac{v_i \gamma_i}{\Lambda_i + \gamma_i} - v_i - \frac{\Lambda_i \mu_i}{\Lambda_i + \gamma_i} \\ = v_i + \frac{\Lambda_i \mu_i}{\Lambda_i + \gamma_i} + \frac{v_i \gamma_i - v_i \Lambda_i - v_i \gamma_i - \Lambda_i \mu_i}{\Lambda_i + \gamma_i} \\ = v_i - \Lambda_i + \frac{\Lambda_i \mu_i}{\Lambda_i + \gamma_i}. \quad (33)$$

Now, by inserting (32) and (33) into (31), we have

$$= G_1^- \lambda_1 1_{n_1 > 0} + G_N^+ \Lambda_N 1_{n_N \geq 0} \\ + \sum_{i=1}^N \left[ \Lambda_i + \frac{v_i \gamma_i}{\Lambda_i + \gamma_i} + \mu_i^0 1_{n_i = -1} + \mu_i 1_{n_i < -1} - \Lambda_i 1_{n_i > 0} \right] \quad (34)$$

so that the equilibrium equation reduces to

$$\lambda_1 + \sum_{i=1}^N [\gamma_i 1_{n_i > 1} + \gamma_i^0 1_{n_i = 1}] \quad (35)$$

$$= G_1^- \lambda_1 1_{n_1 > 0} + G_N^+ \Lambda_N 1_{n_N \geq 0} \\ + \sum_{i=1}^N \left[ \frac{v_i \gamma_i}{\Lambda_i + \gamma_i} - \Lambda_i 1_{n_i > 0} \right] \quad (36)$$

$$+ \sum_{j=1}^{N-1} \left[ \prod_{i=1}^{j+1} G_i^- \lambda_1 \prod_{i=1}^j 1_{n_i \leq 0} \right. \\ \left. \times (1_{1+j=N} + 1_{n_{j+1} \geq 1} 1_{1+j \neq N}) \right] \quad (37)$$

$$+ \sum_{j=1}^{N-1} \sum_{i=1}^j \left[ G_i^+ \prod_{k=1}^{N-j} G_{k+i}^- \Lambda_i 1_{n_i \geq 0} \left( 1_{N-j \leq 1} + 1_{N-j \geq 2} \right. \right. \\ \left. \left. \times \prod_{k=1}^{N-j-1} 1_{n_{i+k} \leq 0} \right) (1_{i=j} + 1_{n_{N+i-j} \geq 1} 1_{i \neq j}) \right]. \quad (38)$$

Now consider (37)

$$= \lambda_1 G_N^- \prod_{i=1}^{N-1} G_i^- 1_{n_i \leq 0} \quad (39)$$

$$+ \sum_{j=1}^{N-2} \left[ \lambda_1 G_{j+1}^- 1_{n_{j+1} \geq 1} \prod_{i=1}^j G_i^- 1_{n_i \leq 0} \right] \quad (40)$$

$$= v_N G_N^- \prod_{i=1}^{N-1} f(n_i) \quad (41)$$

$$+ \sum_{j=1}^{N-2} \left[ G_{j+1}^- v_{j+1} 1_{n_{j+1} \geq 1} \prod_{i=1}^j f(n_i) \right]. \quad (42)$$

Also consider (38)

$$= G_{N-1}^+ G_N^- \Lambda_{N-1} 1_{N-1 \geq 0} \quad (43)$$

$$+ \sum_{i=1}^{N-2} [G_i^+ G_{i+1}^- \Lambda_i 1_{i \geq 0} 1_{i+1 \geq 1}] \quad (44)$$

$$+ \sum_{j=2}^{N-2} \sum_{i=1}^{j-1} \left[ G_i^+ \prod_{k=1}^{N-j} G_{k+i}^- \Lambda_i 1_{n_i \geq 0} \right. \\ \left. \cdot \prod_{k=1}^{N-j-1} 1_{n_{i+k} \leq 0} 1_{n_{N+i-j} \geq 1} \right] \quad (45)$$

$$+ \sum_{j=1}^{N-2} \left[ G_j^+ \prod_{k=1}^{N-j} G_{k+j}^- \Lambda_j 1_{n_j \geq 0} \prod_{k=1}^{N-j-1} 1_{n_{j+k} \leq 0} \right] \quad (46)$$

$$= v_N G_N^- h(n_{N-1}) \quad (47)$$



$$+ \sum_{i=1}^{N-2} v_{i+1} G_{i+1}^- \mathbf{1}_{n_{i+1} \geq 1} h(n_i) \quad (48)$$

$$= v_N G_N^- \sum_{j=1}^{N-1} \left[ \prod_{k=1}^{N-j-1} f(n_{k+j}) - f(n_j) \prod_{k=1}^{N-j-1} f(n_{k+j}) \right] \quad (62)$$

$$+ \sum_{j=2}^{N-2} \sum_{i=1}^{j-1} \left[ G_i^+ \Lambda_i \mathbf{1}_{n_i \geq 0} G_{N-j+i}^- \mathbf{1}_{n_{N-j+i} \geq 1} \right. \quad (49)$$

$$= v_N G_N^- \sum_{j=1}^{N-1} \left[ \prod_{k=j+1}^{N-1} f(n_k) - f(n_j) \prod_{k=j+1}^{N-1} f(n_k) \right] \quad (63)$$

$$\left. \times \prod_{k=1}^{N-j-1} G_{k+i}^- \mathbf{1}_{n_{k+i} \leq 0} \right] \quad (49)$$

$$= v_N G_N^- \left( 1 - \prod_{k=1}^{N-1} f(n_k) \right). \quad (64)$$

$$+ \sum_{j=1}^{N-2} \left[ G_N^- G_j^+ \Lambda_j \mathbf{1}_{n_j \geq 0} \prod_{k=1}^{N-j-1} G_{k+j}^- \mathbf{1}_{n_{j+k} \leq 0} \right] \quad (50)$$

The summation of (41) and (64)

$$= v_N G_N^- h(n_{N-1}) \quad (51)$$

$$v_N G_N^- \prod_{i=1}^{N-1} f(n_i) + v_N G_N^- \left( 1 - \prod_{k=1}^{N-1} f(n_k) \right) = v_N G_N^- \quad (65)$$

$$+ \sum_{i=1}^{N-2} [v_{i+1} G_{i+1}^- \mathbf{1}_{n_{i+1} \geq 1} h(n_i)] \quad (52)$$

After these simplifications, we may rewrite the equilibrium equation as

$$+ \sum_{j=2}^{N-2} \sum_{i=1}^{j-1} \left[ v_{i+1} h(n_i) G_{N-j+i}^- \mathbf{1}_{n_{N-j+i} \geq 1} \right. \quad (53)$$

$$\lambda_1 + \sum_{i=1}^N (\gamma_i \mathbf{1}_{n_i > 1} + \gamma_i^0 \mathbf{1}_{n_i = 1}) \quad (66)$$

$$\left. \times \frac{v_{N-j+i}}{v_{i+1}} \prod_{k=1}^{N-j-1} f(n_{k+i}) \right] \quad (53)$$

$$= G_1^- \lambda_1 \mathbf{1}_{n_1 > 0} + G_N^+ \Lambda_N \mathbf{1}_{n_N \geq 0}$$

$$+ \sum_{j=1}^{N-2} \left[ G_N^- v_{j+1} h(n_j) \frac{v_N}{v_{j+1}} \prod_{k=1}^{N-j-1} f(n_{k+j}) \right] \quad (54)$$

$$+ \sum_{i=1}^N \left[ \frac{v_i \gamma_i}{\Lambda_i + \gamma_i} - \Lambda_i \mathbf{1}_{n_i > 0} \right] \quad (67)$$

$$= v_N G_N^- h(n_{N-1}) \quad (55)$$

$$+ \sum_{j=1}^{N-2} \left[ G_{j+1}^- v_{j+1} \mathbf{1}_{n_{j+1} \geq 1} \prod_{i=1}^j f(n_i) \right] \quad (68)$$

$$+ \sum_{i=1}^{N-2} [v_{i+1} G_{i+1}^- \mathbf{1}_{n_{i+1} \geq 1} h(n_i)] \quad (56)$$

$$+ v_N G_N^- \quad (69)$$

$$+ \sum_{i=1}^{N-2} [v_{i+1} G_{i+1}^- \mathbf{1}_{n_{i+1} \geq 1} h(n_i)] \quad (70)$$

$$+ \sum_{j=2}^{N-2} \sum_{i=1}^{j-1} \left[ v_{N-j+i} G_{N-j+i}^- \mathbf{1}_{n_{N-j+i} \geq 1} h(n_i) \prod_{k=1}^{N-j-1} f(n_{k+i}) \right]. \quad (71)$$

$$+ v_N G_N^- \sum_{j=1}^{N-2} \left[ h(n_j) \prod_{k=1}^{N-j-1} f(n_{k+j}) \right]. \quad (58)$$

The summation of (67) and (69)

$$= G_1^- \lambda_1 \mathbf{1}_{n_1 > 0} + G_N^+ \Lambda_N \mathbf{1}_{n_N \geq 0} + \sum_{i=1}^N \frac{v_i \gamma_i}{\Lambda_i + \gamma_i}$$

The summation of (55) and (58)

$$v_N G_N^- h(n_{N-1}) + v_N G_N^- \sum_{j=1}^{N-2} \left[ h(n_j) \prod_{k=1}^{N-j-1} f(n_{k+j}) \right] \quad (59)$$

$$= v_N G_N^- \sum_{j=1}^{N-1} \left[ h(n_j) \prod_{k=1}^{N-j-1} f(n_{k+j}) \right] \quad (60)$$

where

$$G_N^+ \Lambda_N \mathbf{1}_{n_N \geq 0} + v_N G_N^- \mathbf{1}_{n_N \leq 0} = \frac{v_N \Lambda_N}{\Lambda_N + \gamma_N} \quad (73)$$

and

$$= v_N G_N^- \sum_{j=1}^{N-1} \left[ (1 - f(n_j)) \prod_{k=1}^{N-j-1} f(n_{k+j}) \right] \quad (61)$$

$$\frac{v_N \Lambda_N}{\Lambda_N + \gamma_N} + \sum_{i=1}^N \frac{v_i \gamma_i}{\Lambda_i + \gamma_i} = \lambda_1. \quad (74)$$

Thus, the equilibrium equation has been simplified to

$$\sum_{i=1}^N (\gamma_i 1_{n_i > 1} + \gamma_i^0 1_{n_i = 1} + \Lambda_i 1_{n_i > 0}) - G_1^- \lambda_1 1_{n_1 > 0} - G_N^- v_N 1_{n_N > 0} \quad (75)$$

$$= \sum_{j=1}^{N-2} G_{j+1}^- v_{j+1} 1_{n_{j+1} \geq 1} \prod_{i=1}^j f(n_i) \quad (76)$$

$$+ \sum_{i=1}^{N-2} v_{i+1} G_{i+1}^- 1_{n_{i+1} \geq 1} h(n_i) \quad (77)$$

$$+ \sum_{j=2}^{N-2} \sum_{i=1}^{j-1} v_{N-j+i} G_{N-j+i}^- 1_{n_{N-j+i} \geq 1} \cdot h(n_i) \prod_{k=1}^{N-j-1} f(n_{k+i}). \quad (78)$$

Define  $\Theta_i \triangleq G_i^- v_i 1_{n_i \geq 1}$ , so that (78) becomes

$$= \Theta_{N-1} h(n_1) f(n_2) f(n_3) \cdots f(n_{N-2}) \quad (79)$$

$$+ \Theta_{N-1} h(n_2) f(n_3) f(n_4) \cdots f(n_{N-2}) \quad (80)$$

...

$$+ \Theta_{N-1} h(n_{N-4}) f(n_{N-3}) f(n_{N-2}) \quad (81)$$

$$+ \Theta_{N-1} h(n_{N-3}) f(n_{N-2}) \quad (82)$$

$$+ \Theta_{N-2} h(n_1) f(n_2) f(n_3) \cdots f(n_{N-3}) \quad (83)$$

$$+ \Theta_{N-2} h(n_2) f(n_3) f(n_4) \cdots f(n_{N-3}) \quad (84)$$

...

$$+ \Theta_{N-2} h(n_{N-5}) f(n_{N-4}) f(n_{N-3}) \quad (85)$$

$$+ \Theta_{N-2} h(n_{N-4}) f(n_{N-3}) \quad (86)$$

...

$$+ \Theta_4 h(n_1) f(n_2) f(n_3) \quad (87)$$

$$+ \Theta_4 h(n_2) f(n_3) \quad (88)$$

$$+ \Theta_3 h(n_1) f(n_2). \quad (89)$$

Since  $h(n_i) = 1 - f(n_i)$ , we may rewrite from (79) to (82) as

$$\Theta_{N-1} f(n_2) f(n_3) \cdots f(n_{N-2}) - \Theta_{N-1} f(n_1) f(n_2) f(n_3) \cdots f(n_{N-2}) \quad (90)$$

$$+ \Theta_{N-1} f(n_3) f(n_4) \cdots f(n_{N-2}) - \Theta_{N-1} f(n_2) f(n_3) f(n_4) \cdots f(n_{N-2}) \quad (91)$$

$$\cdots + \Theta_{N-1} f(n_{N-3}) f(n_{N-2}) - \Theta_{N-1} f(n_{N-4}) f(n_{N-3}) f(n_{N-2}) + \Theta_{N-1} f(n_{N-2}) - \Theta_{N-1} f(n_{N-3}) f(n_{N-2}) \quad (92)$$

$$= \Theta_{N-1} f(n_{N-2}) - \Theta_{N-1} \prod_{k=1}^{N-2} f(n_k). \quad (93)$$

Similarly, we consider  $\Theta_i$  s for  $i \in \{3, \dots, N-1\}$  and have

$$\sum_{j=2}^{N-2} \sum_{i=1}^{j-1} \left[ v_{N-j+i} G_{N-j+i}^- 1_{n_{N-j+i} \geq 1} \cdot h(n_i) \prod_{k=1}^{N-j-1} f(n_{k+i}) \right] \quad (94)$$

$$= \sum_{j=3}^{N-1} [\Theta_j f(n_{j-1})] - \sum_{j=3}^{N-1} \left[ \Theta_j \prod_{k=1}^{j-1} f(n_k) \right]. \quad (95)$$

Thus, the equilibrium equation has now been reduced to

$$\sum_{i=1}^N [G_i^- v_i 1_{n_i \geq 1}] - G_1^- \lambda_1 1_{n_1 > 0} - G_N^- v_N 1_{n_N > 0} \quad (96)$$

$$= \sum_{j=1}^{N-2} \left[ G_{j+1}^- v_{j+1} 1_{n_{j+1} \geq 1} \prod_{i=1}^j f(n_i) \right] \quad (97)$$

$$+ \sum_{i=1}^{N-2} [v_{i+1} G_{i+1}^- 1_{n_{i+1} \geq 1} h(n_i)] \quad (98)$$

$$+ \sum_{j=3}^{N-1} [\Theta_j f(n_{j-1})] - \sum_{j=3}^{N-1} \left[ \Theta_j \prod_{k=1}^{j-1} f(n_k) \right] \quad (99)$$

or

$$\sum_{i=2}^{N-1} \Theta_i \quad (100)$$

$$= \sum_{j=3}^{N-1} \left[ \Theta_j \prod_{i=1}^{j-1} f(n_i) \right] + \Theta_2 f(n_1) \quad (101)$$

$$+ \sum_{i=3}^{N-1} [\Theta_i h(n_{i-1})] + \Theta_2 h(n_1) \quad (102)$$

$$+ \sum_{j=3}^{N-1} [\Theta_j f(n_{j-1})] - \sum_{j=3}^{N-1} \left[ \Theta_j \prod_{k=1}^{j-1} f(n_k) \right] \quad (103)$$

where

$$\sum_{i=3}^{N-1} [\Theta_i h(n_{i-1})] + \sum_{j=3}^{N-1} [\Theta_j f(n_{j-1})] = \sum_{i=3}^{N-1} \Theta_i \quad (104)$$

and

$$\Theta_2 f(n_1) + \Theta_2 h(n_1) = \Theta_2. \quad (105)$$

So, finally, we see that the left- and right-hand sides of the equilibrium equation cancel each other, completing the proof.

## REFERENCES

- [1] L. Da Xu, W. He, and S. Li, "Internet of things in industries: A survey," *IEEE Trans. Ind. Informat.*, vol. 10, no. 4, pp. 2233–2243, Nov. 2014.
- [2] E. Gelenbe and Y. Caseau, "The impact of information technology on energy consumption and carbon emissions," *Ubiquity*, vol. 2015, 2015, Art. no. 1.
- [3] A. Whitmore, A. Agarwal, and L. Da Xu, "The internet of things: A survey of topics and trends," *Inf. Syst. Frontiers*, vol. 17, no. 2, pp. 261–274, 2015.

- [4] C. Perera, C. H. Liu, S. Jayawardena, and M. Chen, "A survey on internet of things from industrial market perspective," *IEEE Access*, vol. 2, pp. 1660–1679, 2014.
- [5] F. K. Shaikh, S. Zeadally, and E. Exposito, "Enabling technologies for green internet of things," *IEEE Syst. J.*, vol. 11, no. 2, pp. 983–994, Jun. 2017.
- [6] D. Gunduz, K. Stamatiou, N. Michelusi, and M. Zorzi, "Designing intelligent energy harvesting communication systems," *IEEE Commun. Mag.*, vol. 52, no. 1, pp. 210–216, Jan. 2014.
- [7] S. Ulukus *et al.*, "Energy harvesting wireless communications: A review of recent advances," *IEEE J. Sel. Areas Commun.*, vol. 33, no. 3, pp. 360–381, Mar. 2015.
- [8] E. Uysal-Biyikoglu, B. Prabhakar, and A. El Gamal, "Energy-efficient packet transmission over a wireless link," *IEEE/ACM Trans. Netw.*, vol. 10, no. 4, pp. 487–499, Aug. 2002.
- [9] L. Schor, P. Sommer, and R. Wattenhofer, "Towards a zero-configuration wireless sensor network architecture for smart buildings," in *Proc. 1st ACM Workshop Embedded Sens. Syst. Energy-Efficiency Buildings*, 2009, pp. 31–36.
- [10] J. R. Jackson, "Jobshop-like queueing systems," *Manage. Sci.*, vol. 10, no. 1, 1963, Art. no. 131–142.
- [11] F. Baskett, K. M. Chandy, R. R. Muntz, and F. G. Palacios, "Open, closed, and mixed networks of queues with different classes of customers," *J. ACM*, vol. 22, no. 2, pp. 248–260, 1975.
- [12] R. R. P. Jackson, "Random queueing with phase-type service," *J. Roy. Statist. Soc.*, vol. 18, pp. 129–132, 1956.
- [13] Y. Dallery and S. B. Gershwin, "Manufacturing flow line systems: A review of models and analytical results," *Queueing Syst.*, vol. 12, pp. 3–94, Mar. 1992.
- [14] S. Lakri and Y. Dallery, "Measurement and management of supply chain performance: A benchmarking study," in *Proc. Adv. Prod. Manage. Syst. Innov. Knowl.-Based Prod. Manage. Global-Local WorldInt. Conf.*, Ajaccio, France, Sep. 2014, pp. 433–440.
- [15] S. Ramaswami, *Optical Networks: A Practical Perspective*, 2nd ed. New York, NY, USA: Academic, 2002.
- [16] L. Kleinrock, *Queueing Systems: Volume 2, Computer Applications*. Hoboken, NJ, USA: Wiley, 1976.
- [17] E. Gelenbe and G. Pujolle, *Introduction to Networks of Queues*. Hoboken, NJ, USA: Wiley, 1998.
- [18] S. Tucci and C. H. Sauer, "The tree MVA algorithm," *Perform. Eval.*, vol. 5, no. 3, pp. 187–196, 1985.
- [19] E. Gelenbe, "G-networks: An unifying model for queuing networks and neural networks," *Ann. Oper. Res.*, vol. 48, no. 1–4, pp. 433–461, 1994.
- [20] C. Kim and A. Agrawala, "Analysis of the fork-join queue," *IEEE Trans. Comput.*, vol. 38, no. 2, pp. 250–255, Feb. 1989.
- [21] P. Konstantopoulos and J. Walrand, "Stationary and stability of fork-join networks," *J. Appl. Probab.*, vol. 26, pp. 604–614, 1989.
- [22] E. Varki, "Mean value technique for closed fork-join networks," in *Proc. Int. Conf. Meas. Model. Comput. Syst.*, 1999, pp. 103–112.
- [23] S. Balsamo, P. G. Harrison, and A. Marin, "Methodological construction of product-form stochastic petri nets for performance evaluation," *J. Syst. Softw.*, vol. 85, no. 7, pp. 1520–1539, 2012.
- [24] E. Gelenbe, "G-networks with triggered customer movement," *J. Appl. Probab.*, vol. 30, no. 3, pp. 742–748, 1993.
- [25] A. Marin, S. Balsamo, and P. G. Harrison, "Analysis of stochastic petri nets with signals," *Perform. Eval.*, vol. 69, no. 11, pp. 551–572, 2012.
- [26] E. Gelenbe, "Steady-state solution of probabilistic gene regulatory networks," *Phys. Rev. E*, vol. 76, no. 3, 2007, Art. no. 031903.
- [27] E. Gelenbe, "Energy packet networks: Adaptive energy management for the cloud," in *Proc. 2nd Int. Workshop Cloud Comput. Platforms*, Apr. 2012, paper 1.
- [28] M. Gatzianas, L. Georgiadis, and L. Tassiulas, "Control of wireless networks with rechargeable batteries," *IEEE Trans. Wireless Commun.*, vol. 9, no. 2, pp. 581–593, Feb. 2010.
- [29] S. Sarkar, M. H. R. Khouzani, and K. Kar, "Optimal routing and scheduling in multihop wireless renewable energy networks," *IEEE Trans. Autom. Control*, vol. 58, no. 7, pp. 1792–1798, Jul. 2013.
- [30] Z. Mao, C. E. Koksal, and N. B. Shroff, "Near optimal power and rate control of multi-hop sensor networks with energy replenishment: Basic limitations with finite energy and data storage," *IEEE Trans. Autom. Control*, vol. 57, no. 4, pp. 815–829, Apr. 2012.
- [31] E. Gelenbe, "Synchronising energy harvesting and data packets in a wireless sensor," *Energies*, vol. 8, pp. 356–369, Jan. 2015.
- [32] Y. M. Kadioglu, "Finite capacity energy packet networks," *Probab. Eng. Informat. Sci.*, vol. 31, pp. 477–504, 2017.
- [33] E. Gelenbe and A. Marin, "Interconnected wireless sensors with energy harvesting," in *Analytical and Stochastic Modelling Techniques and Applications*. New York, NY, USA: Springer, 2015, pp. 87–99.
- [34] Y. M. Kadioglu and E. Gelenbe, "Packet transmission with k energy packets in an energy harvesting sensor," in *Proc. 2nd Int. Workshop Energy-Aware Simul.*, New York, NY, USA, 2016, paper 1.
- [35] K. Wu and L. McGinnis, "Interpolation approximations for queues in series," *IIE Trans.*, vol. 43, no. 5, pp. 273–290, 2013.



**Yasin Murat Kadioglu** received the B.Sc. degree in electrical and electronic engineering from Middle East Technical University, Ankara, Turkey, in 2012, the M.Sc. degree in electrical and computer engineering from New York University, New York, NY, USA, in 2014, and the Ph.D. degree in electrical and electronic engineering at Imperial College, London, U.K., in 2018.

His research interests include energy harvesting wireless networks, energy packet networks, and the modeling and performance evaluation of computer and communication systems powered by renewable

intermittent energy sources.



**Erol Gelenbe** (F'86) received the B.S.E.E. degree from the Middle East Technical University, Ankara, Turkey, in 1966, the M.S. and Ph.D. degrees in electrical engineering from the Polytechnic Institute of Brooklyn (now New York University), Brooklyn, NY, USA, in 1968 and 1970, respectively, and the Doctorat d'État ès Sciences in mathematical sciences from the Université Pierre et Marie Curie, Paris, France, in 1973.

He holds the Dennis Gabor Professorship in electrical and electronic engineering with the Imperial College, London, U.K. He is renowned for developing mathematical models of computer systems and networks and inventing G-Networks and Random Neural Networks. He has graduated more than 80 Ph.D. students and was awarded Honorary Doctorates from the Universities of Roma II, Italy (1966), Boğaziçi, Istanbul, Turkey (2004), and Liège, Belgium (2006).

Dr. Gelenbe was a recipient of the Parlar Foundation Science Award, Turkey (1994), Grand Prix France Télécom, French Academy of Sciences (1996), ACM-SIGMETRICS Life-Time Achievement Award (2008), IET Oliver Lodge Medal, U.K. (2010), the "In Memoriam Dennis Gabor Prize" of the Hungarian Academy of Sciences (2013), and the Mustafa Prize of the Pardis Foundation (2017). He was elected as a Fellow of Academia Europaea (2005), French Academy of Technologies (2008), Hungarian Academy of Sciences (2010), Turkish Academy of Sciences (2012), Polish Academy of Sciences (2013), and Royal Belgian Academy of Sciences (2015). For his services to science and higher education, he was made a Knight of the Legion of Honour (2014) and an Officer of Merit (2002) of France, also Commander of Merit (2005) and Grand Officer of the Order of the Star (2007) of Italy. He is also a Fellow of ACM.